

Data sheet

LU.001.0003 - GB-LUBE – MB17



GeBox
pasión por los cambios

Premium Performance Fuel Economy ATF with lowered viscosity. Specially developed for Mercedes-Benz 9-speed automatic transmissions. (Type 9-G Tronic)

Description

GB-LUBE MB17 is a product based on selected base oils and state-of-the-art additive technology for use in Mercedes-Benz 9-G Tronic (725.0/1) stepped automatic transmissions.

The extremely low viscosity of GB-LUBE MB17 offers an enormous potential for fuel savings and very good low-temperature properties. The product also features low oil consumption and optimized friction coefficient stability.

Application

GB-LUBE MB17 has been specially developed for Mercedes-Benz 9-G Tronic automatic transmissions and has been approved by Mercedes-Benz for these applications based on MB 236.17. GB-LUBE MB17 can also be used in applications which previously required an ATF according to MB 236.16. GB-LUBE MB17 is not backwards compatible with earlier ATF specifications.

GB-LUBE MB17 is miscible with other ATFs approved according to MB 236.17. However, intermixtures with other ATFs should be avoided in order to fully utilize the product's benefits. Respectively a complete oil change is recommended when converting to GB-LUBE MB17. For information on product safety and proper disposal please refer to the latest Material Safety Data Sheet.

Advantages/Benefits

- Exceptional fuel economy
- Improved cleanliness of the transmission
- Low oil consumption
- Optimized friction stability over life for extended oil change intervals
- Excellent wear protection even under high load
- Depending on OEM requirements also suitable for selected transmissions in hybrid and electric vehicles.

Specifications

- -

Approvals

- MB-APPROVAL 236.17

FUCHS Recommendations

- NISSAN MATIC P

PI60849e, PMA, 23.04.2022, Page 1



TYPICAL CHARACTERISTICS

Density at 15 °C	DIN 51757	0.822 g/ml
Kinematic Viscosity at 40°C	DIN 51562-1	17.5 mm ² /s
Kinematic Viscosity at 100°C	DIN 51562-1	4.1 mm ² /s
Viscosity index	DIN ISO 2909	139
Pour point	DIN ISO 3016	-45°C
Product dyeing	DIN 10964	none

Data sheet



GeBox
pasión por los cambios

The information contained in this product information is based on the experience and know-how of FUCHS PETROLUB SE in the development and manufacturing of lubricants and represents the current state-of-the-art. The performance of our products can be influenced by a series of factors, especially the specific use, the method of application, the operational environment, component pre-treatment, possible external contamination, etc. For this reason, universally-valid statements about the function of our products are not possible. Our products must not be used in aircrafts/spacecrafts or their components, unless such products are removed before the components are assembled into the aircraft/spacecraft. The information given in this product information represents general, non-binding guidelines. No warranty expressed or implied is given concerning the properties of the product or its suitability for any given application.

We therefore recommend that you consult a FUCHS PETROLUB SE application engineer to discuss application conditions and the performance criteria of the products before the product is used. It is the responsibility of the user to test the functional suitability of the product and to use it with the corresponding care.

Our products undergo continuous improvement. We therefore retain the right to change our product program, the products, and their manufacturing processes as well as all details of our product information sheets at any time and without warning, unless otherwise provided in customer-specific agreements. With the publication of this product information, all previous editions cease to be valid.

Any form of reproduction requires express prior written permission from FUCHS PETROLUB SE.

© FUCHS PETROLUB SE. All rights reserved.

Data sheet



GeBox
pasión por los cambios

Alfaro | Gearbox Technology Center S.L. - CIF B-26544825
Av. Ermita del Pilar, Nave 1 - Apartado de Correos: 57
26540 Alfaro, La Rioja - 941 182 280 - www.gebox.es

Granollers | Gearbox Factory Center S.L. - B61378824
Polígono Industrial Congost, Camí de Parets 9 E - 08403
Granollers, Barcelona - 938 467 818 - www.gebox.es